

# SENSPOT



LED downlight  
with detection and  
superior watertightness

**Securlite**  
DURABLE LIGHT

# SENSPOT

LED downlight for communal areas and outdoor environments.

## Plus points

- Very compact
- Built-in microwave detection
- Sealed to IP65
- Vandal-resistant version



Vandal-resistant version

SENSPOt LED is a flush-mounting spot for hallways and circulation areas in residential or public buildings, as well as for outdoor spaces.

With high impact resistance up to IK10+/50J (vandal-resistant version) and sealed against insects and water/particulate matter (IP65), SENSPOt downlight is discreet and compact, thanks to its fluid design.

Built into a white-lacquered zamak base, the crystal polycarbonate diffuser and technical reflector provide soft, controlled light, while reducing power consumption.

In this way, the presence detector version of the SENSPOt LED makes it possible to achieve up to 80% energy savings compared to a conventional fluorescent spot on a timer. It is available in two colour temperatures, 4000 K and 3000 K (on request), and offers high luminaire efficacy of up to 108 lm/W.

In the IP44 version, the SENSPOt can be installed within shallow ceiling voids, thanks to its reduced height of just 70 mm.

In the vandal-resistant version IK10+/50J, the closure is secured through Torx + pin screws.

The presence detector can be remotely adjusted in order to optimize the illumination time (from 5 s to 30 min.).

With a life expectancy of 50,000 hours and a 5-year guarantee, the SENSPOt offers performance and quality.

*SENSPOt carries the Origine France Garantie quality mark.*



BVCert. 6037554



# SENSPOT

## Features:

- Impact-resistant flush-mounting spot
- Vandal-resistant version IK10+ 50 J: secure closure through Torx + pin screws
- CCT 4000 K, CRI min. 80
- White polyester lacquered zamak bezel (RAL9016)
- Clear crystal polycarbonate diffuser
- White polycarbonate reflector
- Remote-control detector adjustment
- Separate power supply
- Suitable for outdoor environments (IP65)
- Connection type:  
IP44 version: remote IP20 power supply  
IP65 version: remote IP20 power supply in sealed box

## Options available on request:

- 3000 K LEDs
- Square adaptor kit for replacing old Sécurlite downlight with a Senspot: code 98403003
- Round adaptor kit for replacing old Sécurlite downlight with a Senspot: code 98403004
- Back box for use in concrete - Senspot IP44 : code 98403002
- Back box for use in concrete - Senspot IP65 : code 98403001

 RAL9016  
(standard ring colour)

 RAL7035  RAL9005  
(other ring colours on request)

220/240 V AC / 50/60 Hz   RoHS




Radio remote control to be ordered separately  
code: 9800 0010



Torx + pin bit for vandal-resistant Senspot to be ordered separately.  
Code: 9800 0012



## Sealed front and rear




## Standard version



Flush-mounting dimensions:  
ø 160

IP44 A : 33 mm  
IP65 A : 70 mm




## Vandal-resistant version




Flush-mounting dimensions:  
ø 160


IP44 A : 33 mm  
IP65 A : 70 mm



Rip-out resistant fastenings  
with vandal-resistant screws



Senspot - code : 4030 0400



## SENSPOT LED IP65

 **direct 403**

220/240 V AC / 50/60 Hz   RoHS

LED modules	Power (W)	Luminaire light output (lm)	Luminaire efficacy (lm/W)	Standard code 20 J	Vandal-resistant code 50 J
LED 1700	12	1300	108	4030 04 _ _	4040 04 _ _
LED 2200	16	1630	102	4031 04 _ _	4041 04 _ _

Lumen maintenance: L80B10 / over 72,000 hr

## SENSPOT LED IP44

 **direct 403**

220/240 V AC / 50/60 Hz   RoHS

LED modules	Power (W)	Luminaire light output (lm)	Luminaire efficacy (lm/W)	Standard code 20 J	Vandal-resistant code 50 J
LED 1700	12	1300	108	4035 04 _ _	4045 04 _ _
LED 2200	16	1630	102	4036 04 _ _	4046 04 _ _

Lumen maintenance: L80B10 / over 72,000 hr


Coding:

replace the two dashes (--) by the corresponding figures:

e.g. 4030 04 \_ \_

- 00 no detection
- 03 slave version + extinction or stand-by warning
- 21 DALI dimmable + switch dimming + standby warning
- 43 with Pro detection + remote-adjustable extinction or standby warning

 **direct 403** Enter this access code on the homepage of our website to check update information.



An expert in long-life and vandal-resistant lighting for over 30 years, French company SECURLITE designs, manufactures, and sells LED luminaires specifically intended to save energy and reduce maintenance.

Our lighting solutions for social housing, local authorities, public transport, and high-security buildings carry the Origine France Garantie quality mark.

Don't hesitate to contact us for technical details or to request a lighting calculation.

## SÉCURLITE

Z.I. des Ajeux  
72400 La Ferté-Bernard  
France

Phone: +33 (0)2 43 60 40 00

Fax: +33 (0)2 43 60 40 09

Email: [export@securlite.com](mailto:export@securlite.com)

[www.securlite.com](http://www.securlite.com)

Technical and dimensional data are given for information only and may be modified at any time without notice. Please enquire before ordering.  
Terms and conditions are available at: [www.securlite.com/terms](http://www.securlite.com/terms)  
or upon request from our Sales Department.



Printed on PEFC paper, guaranteeing a sustainably-managed forest.  
(Program for the Endorsement of Forest Certification)  
Photo credits: Securlite – Studio Image (Belgium)  
Antoine Duhamel Photography – Istock