

FILA² SIGNAGE

Fila² Ø 100 :
A range to suit for
all your parking problems





BVCert. 6037554





FEATURES:

- Sealed vandal-resistant striplight
- Diameter 98 mm, three lengths 690 mm, 970 mm and 1250 mm
- Polycarbonate body
- Internal signage film, backlit on one or both sides (360° lighting)
100% text and colour customisation
- Polished 304L stainless steel end caps
- Closure by 2 stainless steel CHC screws at each end
- Plug-in terminal block
- ISO M20 nickel-plated brass IP67 cable gland at one end
- Standard colours : Blue RAL 5017
Red RAL 3020
Green RAL 6024
White



**SIGNAGE LIGHTING
SOLUTION
FOR PUBLIC AREAS,
BUILDINGS, CAR-PARKS.**

Length L (mm)	CCT (K)	Power (W)	Weight (Kg)	Code
690	4000	12	2.1	7441 7400 ----
970	4000	12	2.4	7442 7400 ----
1250	4000	19	2.95	7446 7400 ----

Final code according to the chosen signage visual

Length L (mm)	CCT (K)	Power (W)	Weight (Kg)	Code
690	4000	13	2.15	7444 7400 ----
970	4000	20	2.8	7445 7400 ----
1250	4000	23	3.5	7447 7400 ----

Final code according to the chosen signage visual

FILA² ACCESSORIES

Designation	FILA ² SIGNAGE
Kit of 304L stainless steel fittings for wall mounting, standard screw fixing	9874 7001
Kit of 304L stainless steel fittings for wall mounting, clasp fixing	9874 7002
Kit of 304L stainless steel fittings for suspension, standard screw fixing	9874 7003





ACCES NIVEAUX
SUPERIEURS



ACCES NIVEAUX
SUPERIEURS